

Alpa technical specification



MDD has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for its products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

MDD is highly aware of the environment.

Being located in the forest region with lake by its side, MDD takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. MDD has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

MDD products - **5 years.**

Electrical components and fabric - **2 years.**

Certificate - MFC:



Boards density:

12 mm - 690 - 750 kg/m³

18 mm - 650 - 690 kg/m³

28 mm - 610 - 630 kg/m³

36 mm - 610 - 630 kg/m³

Assembly:

product delivered in separate elements



Packing:

cartboard, perforated plastic mesh wrap



Alpa	Date of preparation 07.05.2020	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 2/7 general informations
-------------	-----------------------------------	---	---

Technical specification

1. **Top** - MFC 28 mm, tempered glass 8 mm
2. **Front** - MFC 12 mm + Glass LACOBEL 4 mm
3. **Side panel linking low and high fronts** - MFC 28 mm, ABS edge
4. **LED illumination** - at the full length of the reception desk, cold white color (verging on the blue shade)
5. **Leveling** - 5 mm range
6. **Low side panel** - MFC 28 mm, ABS edge
7. **Kick plate** - HPL - brushed aluminium
8. **Fixing flat bar**
9. **Monitor shelf** - MFC 28 mm
10. **Worktop** - MFC 28 mm, ABS edge, fitted with 2 MFC-caps
11. **Supporting leg** - NG41 - powder coated steel, required for connecting the tops
12. **High side panel** - MFC 28 mm, ABS edge
13. **Cable grommets** - Ø80 mm






Ending elements application




Alpa	Date of preparation 07.05.2020	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 3/7 technical specification
------	-----------------------------------	---	-------------------------------------

Dimensions




Reception desks *




ALP14
2514 / 1568 / 1100
210.5 kg


Composition elements *




ALP12
1200 / 946 / 1100
50.5 kg




ALP11
1200 / 1200 / 740
57.5 kg




ALP18L
1806 / 946 / 1100
90 kg




ALP18P
1806 / 946 / 1100
90 kg




ALP19L
2514 / 1907 / 1100
172.5 kg




ALP19P
2514 / 1907 / 1100
172.5 kg




ALP90
1907 / 1907 / 1100
134.5 kg




ALP1L
846 / 28 / 1100
13 kg




ALP1P
846 / 28 / 1100
13 kg



ALP2L
200 / 28 / 368
1.5 kg



ALP2P
200 / 28 / 368
1.5 kg




ALP3L
846 / 28 / 730
12 kg

* dimensions expressed in millimeters: width x depth x height

Alpa	Date of preparation 07.05.2020	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/7
			products


Composition elements *



ALP3P
846 / 28 / 730
12 kg




NG41
40 / 40 / 712
2 kg



NPX1
1000 / 250 / 750
3 kg

Sneeze guard *



NPX1
1000 / 250 / 750
3 kg

* dimensions expressed in millimeters: width x depth x height

Alpa	Date of preparation 07.05.2020	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 6/7
			products

Upper top, front



116 Glass black
RAL9005



117 Glass white
RAL9003



124 Glass silver
RAL9007



Body



08 Black



67 White pastel



26 Aluminum
satinato

Supporting legs





M009 Aluminum
semi-matt RAL9006





M015 White
semi-matt RAL9010





M115 Black
semi-matt RAL9005

								
Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN08		856	824			1105	69.5 kg 0.345 m3 5 pcs	LN5L+LNB08+LN08+LN5P
LIN13		1256	824			1105	87.5 kg 0.479 m3 5 pcs	LN5L+LNB13+LN12+LN5P


Extra charge						

								
Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN15		1656	824			1105	107 kg 0.623 m3 7 pcs	LN5L+LNB15+2xLN08+LN5P

Extra charge						
Monitor shelf x1						
	X					


								
Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN20		2056	824			1105	134 kg 0.826 m3 10 pcs	LN5L+LNB13+LN08+LN12+LNB08 +LN5P+NL41

Extra charge						
Monitor shelf x1						
	X					




Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN25		2456	824			1105	149 kg 0.955 m3 9 pcs	LN5L+2xLNB13+2xLN12+LN5P+NL41

Extra charge					
Monitor shelf x1	Monitor shelf x 2				
X	X				



Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN29L	LIN29P	1850	1150	822	850	1105	147.5 kg 1.296 m3 9 pcs	A - LN6L+LNU11+LN4L+LNB08+LN91+LN3P+NL41 B - LN3L+LN91+LNB08+LN4P+LNU11+LN6P+NL41
LIN291L	LIN291P	1650	1150	822	850	1105	142.5 kg 1.269 m3 9 pcs	A - LN6L+LNU18+LN4L+LNB08+LN91+LN3P+NL41 B - LN3L+LN91+LNB08+LN4P+LNU18+LN6P+NL41

Extra charge					



Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN35L	LIN35P	2650	1150	1622	850	1105	188 kg 1.58 m3 12 pcs	A - LN6L+LNU11+LN4L+LN08+LNB15+LN91+LN3P+NL41 B - LN3L+LN91+LNB15+LN08+LN4P +LNU11+LN6P+NL41
LIN351L	LIN351P	2450	1150	1622	850	1105	183 kg 1.553 m3 12 pcs	A - LN6L+LNU18+LN4L+LN08+LNB15+LN91+LN3P+NL41 B - LN3L+LN91+LNB15+LN08+LN4P +LNU18+LN6P+NL41

Extra charge					
Monitor shelf x1					
X					
X					

		A		B					
Symbol		Dimensions					kg m3 pcs	Composition elements	
A	B	W1	W2	D1	D2	H			
LIN33L	LIN33P	1856	1122	828	824	1105	103.5 kg 0.562 m3 9 pcs	A - LN6L+LNU11+LN4L+LN08+LNB08+LN5P+NL41 B - LN5L+LNB08+LN08+LN4P+LNU11+LN6P+NL41	
LIN331L	LIN331P	1656	1122	828	824	1105	98.5 kg 0.536 m3 9 pcs	A - LN6L+LNU18+LN4L+LN08+LNB08+LN5P+NL41 B - LN5L+LNB08+LN08+LN4P+LNU18+LN6P+NL41	



Extra charge					

Symbol		Dimensions					kg m3 pcs	Composition elements	
W1	W2	D1	D2	H					
LIN36		1644	850			1105	198 kg 2.096 m3 8 pcs	LN3L+LNB15+2xLN91+LN3P	



Extra charge					

Symbol		Dimensions					kg m3 pcs	Composition elements	
W1	W2	D1	D2	H					
LIN42		2444	850			1105	241.5 kg 2.439 m3 12 pcs	LN3L+LNB08+2xLN91+LN08+LNB15+LN3P+NL41	



Extra charge					

								
Symbol		Dimensions					kg m3 pcs	Composition elements
		W1	W2	D1	D2	H		
LIN43		2844	850			1105	265.5 kg 2.637 m3 14 pcs	LN3L+LNB08+2xLN91+LNB13 +LN12+LNB08+LN3P+2xNL41


Extra charge					

								
Symbol		Dimensions					kg m3 pcs	Composition elements
A	B	W1	W2	D1	D2	H		
LIN37L	LIN37P	1650	850			1105	154 kg 1.362 m3 8 pcs	A - LN5L+LN08+LNB15+LN91+LN3P B - LN3L+LN91+LNB15+LN08+LN5P


Extra charge					

								
Symbol		Dimensions					kg m3 pcs	Composition elements
A	B	W1	W2	D1	D2	H		
LIN34L	LIN34P	2256	1122	1228	824	1105	124.5 kg 0.701 m3 10 pcs	A - LN6L+LNU11+LN4L+LN12+LNB13+LN5P+NL41 B - LN5L+LNB13+LN12+LN4P+LNU11+LN6P+NL41
LIN341L	LIN341P	2056	1122	1228	824	1105	119.5 kg 0.674 m3 10 pcs	A - LN6L+LNU18+LN4L+LN12+LNB13+LN5P+NL41 B - LN5L+LNB13+LN12+LN4P+LNU18+LN6P+NL41


Extra charge					



A




B




Symbol			Dimensions					kg m3 pcs	Composition elements
A	B		W1	W2	D1	D2	H		
LIN38L	LIN38P		2050	850			1105	178 kg 1.56 m3 10 pcs	A - LN5L+LNB13+LN12+LNB08+LN91+LN3P+NL41 B - LN3L+LNB08+LN91+LNB13+LN12+LN5P+NL41


Extra charge						



A




B




Symbol			Dimensions					kg m3 pcs	Composition elements
A	B		W1	W2	D1	D2	H		
LIN39L	LIN39P		2444	1650	1622	850	1105	286 kg 2.735 m3 14 pcs	A - LN5L+2xLN08+2xLNB15+2xLN91+LN3P+NL41 B - LN3L+2xLN91+2xLNB15+2xLN08+LN5P+NL41


Extra charge						



A






B











Symbol			Dimensions					kg m3 pcs	Composition elements
A	B		W1	W2	D1	D2	H		
LIN40L	LIN40P		2444	2050	1950	850	1105	332.5 kg 3.283 m3 16 pcs	A - LN3L+LN12+L2Z06+2xLN91+LNB15+LN08+LNB08+LN3P+NL41 B - LN3L+LNB08+2xLN91+LN08+LNB15+L2Z06+LN12+LN3P+NL41

Extra charge						



Symbol			Dimensions					kg m3 pcs	Composition elements
A	B		W1	W2	D1	D2	H		
LIN41L	LIN41P		2744	1850	1622	850	1105	282.5 kg 2.674 m3 16 pcs	A - LN6L+LNU11+LN4L+2xLN91+LNB08+LN08+LNB15+LN3P+2xNL41 B - LN3L+2xLN91+LNB15+LN08+LNB08+LN4P+LNU11+LN6P+2xNL41
LIN411L	LIN411P		2744	1650	1622	850	1105	277.5 kg 2.648 m3 16 pcs	A - LN6L+LNU18+LN4L+2xLN91 +LNB08+LN08+LNB15+LN3P+2xNL41 B - LN3L+2xLN91+LNB15+LN08+LNB08+LN4P+LNU18+LN6P+2xNL41

Extra charge						

Composition elements							
	Symbol	Dimensions			kg m ³ pcs	Comments	
		Width	Depth	Height			
	LN08	800	250	1105	27.5 kg 0.254 m ³ 2 pcs		
	LN12	1200	250	1105	41.5 kg 0.376 m ³ 2 pcs		
	LN91	822	822	1105	78.5 kg 1.007 m ³ 2 pcs		
	LNU18	800	1122	740	26.5 kg 0.129 m ³ 2 pcs		
	LNU11	1000	1122	740	31.5 kg 0.156 m ³ 2 pcs		
	LNB08	800	800	28	14 kg 0.025 m ³ 1 pcs		
	LNB13	1200	800	28	21 kg 0.042 m ³ 2 pcs		X
	LNB15	1600	800	28	27 kg 0.054 m ³ 2 pcs		X
	LN3L	254	28	1105	7 kg 0.014 m ³ 1 pcs	left	
	LN3P	254	28	1105	7 kg 0.014 m ³ 1 pcs	right	
	LN4L	254	28	367	2.5 kg 0.006 m ³ 1 pcs	left	

Extra charge

Monitor shelf x1

